



Call Today!
(800) 643-2664

CLI AG6601 Series Universal Client

Everything You Need to get the Job Done

The AG6601's robust platform is ready to handle any task. With a dual core AMD G-Series processor running at 1.4GHz and a Radeon HD 6250 GPU it has the performance features needed to handle the most complex VDI environment. Delivering custom or unique peripheral support with standard parallel port, serial port, two PS/2, 4 USB and dual DVI ports with an included VGA adapter and optional internal wireless. The AG6601 has the tools and features required for deployment into the most demanding of virtual environments.

Universal Client for Complex Environments

The AG6601 is built with the latest embedded technology from AMD utilizing the fastest available G-Series processor to run the latest in Operating Systems and applications. With a dedicated GPU it delivers an unprecedented graphics performance in a thin client device. All of these features are packaged in less than 1.5 cubic liters with no moving parts. With the AG6601 the future of thin computing is here today.

At a Glance

The AG6601 is the ideal client for complex environments where legacy ports including serial, parallel, and PS/2 are required. With support for the latest OS offerings from Microsoft and Ubuntu the AG6601 is ready for any deployment from application delivery to legacy terminal emulation.

Features

- Dual core 1.4 GHz processor
- Dual Digital Video (DVI-D and DVI-I).
- Dedicated Radeon HD 6250 GPU.
- Multiple mounting options.
- Optional internal wireless.
- Energy efficient, robust feature set, maximum performance.



CLI AG6601 Universal Workhorse Client

Modular logic unit, AMD G-Series 1.4 GHz CPU, Gigabit Ethernet, 4 USB 2.0 ports, 1 serial port, 1 Parallel port, 2 PS/2 ports, audio in/out ports, external power supply, socketed DRAM and Industrial grade SSD Flash, security lock slot, PS/2 optical mouse, PS/2 US 104-key keyboard, US power cord, per seat license for CLI Device Manager software, three-year return-to depot warranty.

CONFIGURATION	DESCRIPTION	AG6601X	AG6601W	AG6601L	AG6601H
Operating system	Customize your AG6601 with Windows Embedded Standard 2009, WES7 or Embedded Linux Contact your Reseller or CLI Sales Representative for Custom Operating Systems	WES 2009	WES 7	Linux	CE 6
Processor	AMD G-Series T48E (1.4 GHz) Dual Core				
Chipset	A50M				
Video	AMD Radeon HD 6250 Up to 1920 x 1200 Wide Screen Resolution 32-bit Color 64MB - 512MB Shared Memory (1) DVI-D Port (1) DVI-I Port (VGA Adapter Included)				
Memory	(1) DDR3 - 1333 SODIMM	Min: 1 GB Max: 4 GB	Min: 2 GB Max: 4 GB*	Min: 1 GB Max: 4 GB	Min: 1 GB Max: 2 GB
Flash	Industrial Grade SATA SSD Flash Module	Min: 1 GB Max: 4 GB	Min: 4 GB Max: 16 GB	Min: 1 GB Max: 4 GB	Min: 1 GB Max: 8 GB
Wireless	Optional Internal Wireless 802.11b/g/n WI-FI™	AG6661X	AG6661W	AG6661L	AG6661H
Communications	(1) Gigabit Ethernet Port				
CLI TermPro (Terminal Emulation)	TermPro Supports TN5250 (IBM AS/400), TN3270, (IBM Mainframe), and ASCII (Unix/Linux Systems) Emulation Sessions with One or More Hosts. Enhanced User Interface (TN5250 Display Only), Support for 122-Key keyboard, & TCP/IP.				
Ports and Connectors	(4) USB 2.0 Ports (2 Front, 2 Rear), (1) DVI-D, (1) DVI-I, (2) PS2, (1) RJ-45/Ethernet, (1) Mic-In Jack, (1) Audio Out Jack, (1) Serial (DB-9), One Parallel (DB-25)				
Operating temperature	0 °C to 40 °C 20% to 80% Non-Condensing Humidity				
Protocols	RDP, ICA, VNC (Remote Shadowing), PXE, Direct X Quest, VMware View, Web Browser				
Full Weight	1.7 lbs				
Dimensions	(w x d x h) 7.88 in (at front) x 5.3 in x 1.9 in				

*WES7 will only recognize ~3GB total.

*Specifications are subject to change without notice.



info@midcomdata.com | 1 800 643-2664 | www.midcomdata.com

© 2013 CLI, Inc. All rights reserved. Specifications are subject to change without notice. CLI is a registered trademark. All other trademarks are the property of their respective owners. CLI shall not be liable for technical or editorial errors or omissions contained herein.

